

??? ?????????? ?????????? BAFANG 500W-36V BBS02B (????? ????)



?????????: ??? ?????????? ??????

????

????: 750,00 €

???????

★ ΚΑΤΟΙΚΗ ΗΡΑΚΛΕΙΑΣ

[???????](#) [???](#) [???](#) [???????](#)

?????????

?? ??????????? ???????? ?? 10 ????????

[?????????? ??? ????????????](#)

[?????????? ??? ????????????](#)

? Bafang ?????? ??? ?????? ?????? ?????? ?????????????????? ?????????????????? ?????????? ?????? ?????? ?????? ?????? ??? ?????? ?????? ?????? ?????? ?????? . ?? ?????????? ??? ?????????????????? ??? ?????? ?????? ?????? ??? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? Bafang!

?? ??? ?????????????? ?? ????????


| | |
|------------------|-------------------------------|
| ????????? ?????? | bafang 500w-36v |
| ??????? | BBS02B 68-73mm |
| ??????? | ????????? ?????? 850C |
| ??????? | ??????????? |
| ??????? | 46 ??????? |
| ??????????? | 1 ??????? ?????? ?????? |
| ??????????? | 1 ??????? ??? ??? ?????? ?? |
| ??????? | ?????? |
| ??????????? | 1 ??? ????? ???????????? |
| ? | |
| ??????????? | 1 ??? ?????????? ???????????? |
| ? | ??????????? |
| ? | |
| ??????????? | 1 ??? ?????????? ?????? 4 ?? |
| | 1 |
| ??????????? | 1 ??? ?????????? ???????????? |
| ? | ??????????? |
| ??????????? | 1 ????? ???????? |
| | |
| | ???? ???????????? |
| | ?????????????-?????????? ?? |
| | ??????,????????? |
| | ????????????? ? ??? ???? |
| | ?????? ? ? ???????????? |
| | ???????????. |

????? ??? ?????????? ?????? ?????????? <https://www.youtube.com/watch?v=m5YnUx854Ps>

????? ??? ?????????? ?????? ??? ?????????????? ??? ?????? 850c <https://www.youtube.com/watch?v=12OLFqD1bFY>

***????????????? ??? ?????????? ?????? ?????????? ??? ?????? ? ?????????? ?????? ??? ?????????? ***

| SPECIFICATIONS | | DIMENSIONS | |
|-----------------------------------|------------------------|-------------|--------|
| Core Data | | | |
| Position | Mid Motor | | |
| Wheel Diameter (inch) | Optional | | |
| Construction | Gear drive | | |
| Rated Voltage (DCV) | 36/48 | | |
| nD (Rpm) | 120/126 | | |
| Rated Power (W) | 500 | | |
| nT(Rpm) | 113/118 | | |
| Max Torque | 100 N.m | | |
| Efficiency (%) | ≥ 80 | | |
| Pedal Sensor | Speed | | |
| Shaft Standard | JIS | | |
| Color | Black | | |
| Weight (kg) | 4.3 | | |
| Noise Grade (dB) | < 55 | | |
| Operating Temperature | -20-45°C | | |
| Function | | | |
| E-Brake | Yes | Dimension A | 208 mm |
| Gearsensor Function | Optional | Dimension B | 110mm |
| Light Drive Capacity (DCV / W) | 6 /3(max) (Optional) | Dimension C | 68 mm |
| Further Specifications | | Dimension D | 159 mm |
| Magnet Poles (2P) | 16 | Dimension E | 88 mm |
| Tests & Certifications | | | |
| IP | IP 65 | | |
| Certifications | ROHS | | |
| Salt Spray Test Standard(h) | 96 | | |



ATMT