

??? ?????????????? ???????????? BAFANG 500W-36V BBS02B (????? ??????????)



?????????: ??? ?????????????? ??????
?????
?????: 750,00 €
???????

☆ KATOIIN HAPATTEAIAE

[????????? ??? ?? ???????](#)

SPECIFICATIONS

Core Data

Position

Mid Motor

Wheel Diameter (inch)

Optional

Construction

Gear drive

Rated Voltage (DCV)

36/48

n0 (Rpm)

120/126

Rated Power (W)

500

nT(Rpm)

113/118

Max Torque

100 N.m

Efficiency (%)

≥ 80

Pedal Sensor

Speed

Shaft Standard

JIS

Color

Black

Weight (kg)

4.3

Noise Grade (dB)

< 55

Operating Temperature

-20-45℃

Function

E-Brake

Yes

Gearsensor Function

Optional

Light Drive Capacity (DCV / W)

6 /3(max) (Optional)

Further Specifications

Magnet Poles (2P)

16

Tests & Certifications

IP

IP 65


Certifications

ROHS

Salt Spray Test Standard(h)

96

DIMENSIONS



Dimension A	208 mm
Dimension B	110mm
Dimension C	68 mm
Dimension D	159 mm
Dimension E	88 mm

ATMT